accessories

scooters

power wheelchair bases

POWERED MOBILITY

drive

WWW.DRIVEMEDICAL.COM

Enjoy your independence...

through the power of Mobility

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

DROP SHIPPING A POWER PRODUCT TO A CONSUMER? DRIVE OFFERS A VARIETY OF CUSTOM DELIVERY AND SET UP OPTIONS.

CALL FOR MORE INFORMATION.

ASK YOUR LOCAL SALES REPRESENTATIVE FOR A COPY OF...

NEW
MEDICARE MOBILITY CODES

Power Chairs/POVs

For more information or to place an order please contact our knowledgeable sales team at 1-877-224-0946

drive
WWW.DRIVEMEDICAL.COM

99 Seaview Boulevard ▪ Port Washington, NY 11050
Toll Free 877-224-0946 ▪ Fax 516-998-4601

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

FALCON

EASY TO ASSEMBLE AND DISASSEMBLE INTO 4 PIECES

COMES WITH LARGE CARRY BASKET

LIGHTWEIGHT & EASY TO OPERATE!

GREAT FOR TRAVEL!

Royal Blue

Red

NEW PRODUCT

Falcon
3 Wheel Compact Scooter

S37600	Blue, (Has replaced S35002692), 1/cs
S37601	Red, (Has replaced S35001692), 1/cs
S37600-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs
S37601-POM	Red, (Comes with "Peace of Mind Service"), 1/cs

FEATURES:

- For indoor and outdoor use.
- 3 wheel model allows for 22. 5" turning radius.
- Convenient, compact design makes assembly/disassembly easy.
- Easy to remove battery case that can be charged separate from the scooter.
- Comes with dual led headlights and tail lights.
- Protected thumb style throttle.
- Comfortable height adjustable seat with flip back adjustable width arms.
- Top speed 4 mph and a cruising range of 10 miles.
- Comes standard with anti tippers.
- Flat free tires.
- Comes with large carry basket.
- Easy to adjust tiller.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 250 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

FALCON
PARTS DIAGRAM



2c. Arm Adj. Knob (S376P3F01)
3. Key (S376PKEY)
8. Rear Shroud (S376P3RSR) Red or Blue
9. Tiller Adj. Knob (S376P3F04)
19. Wire Harness (S376P3F11)
23. Seat Pin (S376P3F13)
24. Seat Post (S376P3F14)

SPECIFICATIONS

ITEM #	S37600 (BLUE), S37601 (RED)
L X W X H	37.4" X 19.8" X 32.5"
SADMERC CODE GROUP	GROUP 1/K0800
REAR WEIGHT	24 LBS
FRONT WEIGHT	26 LBS
SEAT WEIGHT	22 LBS
BATTERY WEIGHT	20 X 2 LBS
GROSS WEIGHT	113 LBS
DYNAMIC STABILITY INCLINE IN DEGREES	10°
MINIMUM OBSTACLE CLIMBING ABILITY	1"
SEAT DIMENSIONS	16.5" (D) X 15.5." (W)
DRIVE WHEEL	7" SOLID
CASTER WHEEL	7" SOLID
BATTERY (INCLUDED)	12AH, 12V X 2
CHARGER	3 AMP OFF BOARD
MAX. SPEED	4 MPH
MAX. WEIGHT LOAD	250 LBS
CRUISING RANGE	10 MILES
SAFE CLIMBING	ANGLE 8°
TURNING RADIUS	22.5"
GROUND CLEARANCE	2.5"
MOTOR	180W X 1
ANTI-TIP WHEEL	2"
CHARGING TIME, HOURS	6 HR
WARRANTY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

FALCON

EASY TO ASSEMBLE AND DISASSEMBLE INTO 4 PIECES

COMES WITH LARGE CARRY BASKET

LIGHTWEIGHT & EASY TO OPERATE!

GREAT FOR TRAVEL!

NEW PRODUCT NEW

Falcon
4 Wheel Compact Scooter

S37650	Blue, 1/cs
S37651	Red, 1/cs
S37650-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs
S37651-POM	Red, (Comes with "Peace of Mind Service"), 1/cs

Royal Blue

Red

FEATURES:

- For indoor and outdoor use.
- Convenient, compact design makes assembly/disassembly easy.
- Easy to remove battery that can be charged separate from the scooter.
- Comes with dual led headlights and tail lights.
- Protected thumb style throttle.
- Comfortable height adjustable seat with flip back adjustable width arms.
- Top speed 4 mph and a cruising range of 10 miles.
- Comes standard with anti tippers.
- Flat free tires.
- Comes with large carry basket.
- Easy to adjust tiller.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 250 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

FALCON
PARTS DIAGRAM



2c. Arm Adj. Knob (S376P3F01)
3. Key (S376PKEY)
8. Rear Shroud (S376P4RSR) Red or (B) Blue
9. Tiller Adj. Knob (S376P3F04)
19. Controller (S376PCON)
20. Wire Harness (S376P3F11)
24. Seat Pin (S376P3F13)
25. Motor/Tansaxle (S376PTA)
30. Seat Post (S376P3F14)
31. Rear Frame (S376P3F12)

ITEM #	S37650 (BLUE), S37651 (RED)
L X W X H	41" X 19.8" X 32.5"
SADMERC CODE GROUP	GROUP 1/K0800
REAR WEIGHT	24 LBS
FRONT WEIGHT	30 LBS
SEAT WEIGHT	22 LBS
BATTERY WEIGHT	20 X 2 LBS
GROSS WEIGHT	118 LBS
DYNAMIC STABILITY INCLINE IN DEGREES	10°
MINIMUM OBSTACLE CLIMBING ABILITY	1"
SEAT DIMENSIONS	16.5" (D) X 15.5." (W)
DRIVE WHEEL	7" SOLID
CASTER WHEEL	7" SOLID
BATTERY (INCLUDED)	12AH, 12V X 2
CHARGER	3 AMP OFF BOARD
MAX. SPEED	4 MPH
MAX. WEIGHT LOAD	250 LBS
CRUISING RANGE	10 MILES
SAFE CLIMBING	ANGLE 8°
TURNING RADIUS	37"
GROUND CLEARANCE	2.5"
MOTOR	180W X 1
ANTI-TIP WHEEL	2"
CHARGING TIME, HOURS	6 HR
WARRANTY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

PHOENIX 3 WHEEL

NEW

INTERCHANGEABLE COLOR PANELS (RED & BLUE) INCLUDED

STACKABLE BATTERY DOUBLES YOUR RANGE UP TO 30 MILES.

ADDITIONAL BATTERY ITEM# S3BATT

EASY TO ASSEMBLE AND DISASSEMBLE INTO 4 PIECES

Phoenix 3 Wheel, Compact Scooter

S35010 Red/Blue, (Has replaced the Phantom model #'s S35001/S35002), 1/cs

S35010-POM Red/Blue, (Comes with "Peace of Mind Service"), 1/cs

Royal Blue

Red

POV GROUP 1
SADMERC CODE:
KO800

FEATURES:

- For indoor and outdoor use.
- **New interchangeable color panels (red & blue) included.**
- 3 wheel model allows for 32.3" turning radius.
- Convenient, compact design.
- Easy to assemble and disassemble into 4 pieces.
- Comes with easy to remove wireless battery that can be charged separately from the scooter.
- Comes with headlight.
- **New "Finger-Pull" throttle.**
- Comfortable height adjustable, upgraded seat.
- Flip back adjustable width arms.
- Speed ranges from .5 mph to 4 mph and a cruising range of 15 miles.
- Stackable battery box will allow an optional battery for increased range up to 30 miles.
- Comes standard with anti tippers.
- Convenient free-wheel release knob.
- Flat free tires.
- Large carry basket.
- Easy to adjust tiller.
- For added safety the tiller has an auto straightening function.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 70 amp drive CTE electronics.
- 300 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

PHOENIX 3 Wheel
PARTS DIAGRAM



4. T Handle Frame Lock (S350169716)
6. Handgrips (S31003)
12. Key Switch Assembly (S31006)
Key (S3KEY)
13. Red (S31209R or B) Blue
14. Seat Post (S31049)
15. Seat Pin (S350169717)
16. Wire Harness
Front Tiller (S31048)
Rear Section (S31058)
17. Tow Handle (S31011)
24. Front Wheel Lock (S31143)
26. Front Shroud Decoration:
Red (S3501R) Right (L) Left
Blue (S3501R) Right (L) Left
33. Rear Frame (S31130)
Front Frame (S31135)
34. Motor (S31031)
Motor/Gear Assembly (S31125)
35. Rear Wheel (S31132)
38. Controller (S31008)
39. Frame Contact-Front (S31056)
Rear (S31057)
43. Controller Cover (S350113)

SPECIFICATIONS

ITEM #	S35010
L X W	37.8" X 20"
SADMERC CODE GROUP	GROUP 1/K0800
REAR WEIGHT	31 LBS
FRONT WEIGHT	23 LBS
SEAT WEIGHT	21 LBS
BATTERY WEIGHT	20 LBS
GROSS WEIGHT	95 LBS
DYNAMIC STABILITY INCLINE IN DEGREES	10°
MINIMUM OBSTACLE CLIMBING ABILITY	1"
SEAT DIMENSIONS	17"(D) X 17.5"(W)
SEAT TO FOOT DECK HEIGHT	17-19
DRIVE WHEEL	8" SOLID
CASTER WHEEL	8" SOLID
BATTERY (INCLUDED)	12AH, 12V X 2
CHARGER	2 AMP OFF BOARD
MAX. SPEED	4 MPH
MAX. WEIGHT LOAD	300 LBS
CRUISING RANGE	UP TO 15 MILES (UP TO 30 MILES WITH STACKABLE BATTERY)
SAFE CLIMBING ANGLE	8°
TURNING RADIUS	32.3"
GROUND CLEARANCE	2"
MOTOR	270W X 1
ANTI-TIP WHEEL	2"
CHARGING TIME, HOURS	6 HR
CONTROLLER	DRIVE CTE 70A
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

PHOENIX 4 WHEEL

Phoenix 4 Wheel, Compact Scooter

S35015 Red/Blue, 1/cs
S35015-POM Red/Blue,
(Comes with "Peace of Mind Service"), 1/cs

NEW

INTERCHANGEABLE COLOR PANELS (RED & BLUE) INCLUDED

STACKABLE BATTERY DOUBLES YOUR RANGE UP TO 30 MILES.

ADDITIONAL BATTERY ITEM# S3BATT

EASY TO ASSEMBLE AND DISASSEMBLE INTO 4 PIECES

FEATURES:

- For indoor and outdoor use.
- **New interchangeable color panels (red & blue) included.**
- 4 wheel model allows for 44" turning radius and added stability.
- Convenient, compact design.
- Easy to assemble and disassemble into 4 pieces.
- Comes with easy to remove wireless battery that can be charged separately from the scooter.
- Comes with headlight.
- **New "Finger-pull" throttle.**
- Comfortable height adjustable, upgraded seat.
- Flip back adjustable width arms.
- Speed ranges from .5 mph to 4 mph and a cruising range of 15 miles.
- Stackable battery box will allow an optional battery for increased range up to 30 miles.
- Comes standard with anti tippers.
- Convenient free-wheel release knob.
- Flat free tires.
- Large carry basket.
- Easy to adjust tiller.
- For added safety the tiller has an auto straightening function.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 70 amp drive CTE electronics.
- 300 lb. Weight Capacity.

POV GROUP 1
SADMERC CODE:
K0800

Royal Blue

Red

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

PHOENIX 4 Wheel
PARTS DIAGRAM



3. Seat Plate (S31039)
4. T Handle Frame Lock (S350169716)
12. Key Switch Assem. (S31006)
Key (S3KEY)
13. Red (S31209R)
Blue (S31209B)
14 Seat Post (S31049)
15. Seat Pin (S350169717)
16. Wire Harness -
Front Tiller (S31048)
Rear Section (S31058)
22. Tiller Swivel Assem. (S350109)
23. Front Fork (S350105)
25. Front Shroud (S350107)
26. Front Decoration
Rt. S3501RR-1, RL-1
Lt. S3501BR-1, BL-1
27. Bearing Assem. (S31021)
33. Rear Frame (S31130)
Front Frame (S350108)
39. Frame Contact- Front (S31056)
Rear (S31057)
42. Controller Cover (S350113)

SPECIFICATIONS

ITEM #	S35015
L X W	37.8" X 20"
SADMERC CODE GROUP	GROUP 1/K0800
REAR WEIGHT	31 LBS
FRONT WEIGHT	26 LBS
SEAT WEIGHT	21 LBS
BATTERY WEIGHT	20 LBS
GROSS WEIGHT	98 LBS
DYNAMIC STABILITY INCLINE IN DEGREES	10°
MINIMUM OBSTACLE CLIMBING ABILITY	1"
SEAT DIMENSIONS	17"(D) X 17.5"(W)
SEAT TO FOOT DECK HEIGHT	17" - 19"
DRIVE WHEEL	8" SOLID
CASTER WHEEL	8" SOLID
BATTERY (INCLUDED)	12AH, 12V X 2
CHARGER	2 AMP OFF BOARD
MAX. SPEED	4 MPH
MAX. WEIGHT LOAD	300 LBS
CRUISING RANGE	UP TO 15 MILES (30 MILES WITH STACKABLE BATTERIES)
SAFE CLIMBING ANGLE	8°
TURNING RADIUS	44"
GROUND CLEARANCE	2"
MOTOR	270W X 1
ANTI-TIP WHEEL	2"
CHARGING TIME, HOURS	APPROX 6 HR
CONTROLLER	DRIVE CTE 70A
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

DAYTONA 3 GT

NOW WITH HEADLIGHT

NEW "FINGER-PULL" THROTTLE

POV GROUP 1
SADMERC CODE:
K0806

Daytona 3 GT
3 Wheel Medium Size Scooter

S35005GT	Red, (Has replaced the Daytona 3 Model # S35005), 1/cs
S35006GT	Blue, (Has replaced the Daytona 3 Model # S35006), 1/cs
S35005GT-POM	Red, (Comes with "Peace of Mind Service"), 1/cs
S35006GT-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs

Royal Blue

Red

FEATURES:

- For outdoor and indoor use.
- 3 wheel design allows for small, 40.2" turning radius.
- Ability to assemble/disassemble into 5 pieces for transport.
- Comes with headlight and tail light.
- Contoured swivel seat is height and depth adjustable, features flip back height and width adjustable arms.
- Top speed 5 mph.
- Cruising range of 20 miles w/U1 batteries (20 AMP batteries and U1 battery compatible).
- Comes standard with anti tippers.
- New "Finger-Pull" throttle.
- Large carry basket.
- Flat free tires.
- Easy to adjust tiller.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 70 amp Drive CTE Electronics.
- Comes with batteries.
- 350 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

DAYTONA 3 GT
PARTS DIAGRAM



2. Seat Cover
a. Seat (S31054)
b. Back (S31051)
7. Headlight (S311022)
8. Key (S3KEY)
Key Switch (S31006)
9. Handle Bar (S31002GT)
14. Carpet (S31037)
15. Tightening Knob (S31151)
31. Seat Post (S31053)
32. Seat Adjustment Pin (S350016906)

SPECIFICATIONS

ITEM #	S35005GT, S35006GT
L X W	44.4" X 22.5"
SADMERC CODE GROUP	GROUP 2/K0806
SEAT DIMENSIONS	17"(D) X 17.5"(W)
SEAT TO FOOT DECK HEIGHT	17" - 20"
GROSS WEIGHT (WITH/WITHOUT BATTERY)	125/94 LBS
REAR WEIGHT	42 LBS
FRONT WEIGHT	26 LBS
SEAT WEIGHT	26 LBS
BATTERY WEIGHT TOTAL	31 LBS
TIRE SIZE (FRONT)	10" SOLID INSERTS
TIRE SIZE (REAR)	10" SOLID INSERTS
BATTERY (INCLUDED)	20 AMP X 2
CHARGER	3 AMP OFF BOARD
MAX. SPEED	5 MPH
MAX WEIGHT LOAD	350 LBS
CRUISING RANGE	15 MILES (W/20 AMP BATTERY) 20 MILES (W/ U1 BATTERY)
SAFE CLIMBING ANGLE (SUGGESTED)	8°
TURNING RADIUS	40.2"
GROUND CLEARANCE	2.5"
CONTROLLER	DRIVE CTE 70 AMP
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

DAYTONA 4 GT

NOW WITH HEADLIGHT

NEW "FINGER-PULL" THROTTLE

POV GROUP 1
SADMERC CODE:
K0806

Daytona 4 GT,

4 Wheel Standard Size Scooter

S45001GT	Red, (Has replaced the Daytona 4 Model # S45001), 1/cs
S45002GT	Blue, (Has replaced the Daytona 4 Model # S45002), 1/cs
S45001GT-POM	Red, (Comes with "Peace of Mind Service"), 1/cs
S45002GT-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs

Royal Blue

Red

FEATURES:

- For indoor and outdoor use.
- Ability to assemble/disassemble into 5 pieces.
- Contoured swivel seat is height and back adjustable, features flip back height and width adjustable arms.
- Assembles and disassembles into 5 easy parts.
- Top speed 5 mph.
- Cruising range of 20 miles w/U1 batteries (20 AMP batteries and U1 battery compatible).
- Comes standard with anti tippers.
- Comes with dual headlights and a tail light.
- New "Finger-Pull" throttle.
- Flat free tires.
- Large carry basket.
- Easy to adjust tiller.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 70 amp Drive CTE Electronics.
- Comes with batteries.
- 350 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

DAYTONA 4 GT
PARTS DIAGRAM



7. Headlight (S31022)
8. Key (S3KEY)
   Key Switch (S31006)
9. Handlebar (S3002)
10. Tiller Swivel Assem. (S31020)
13. Rubber Cover (S31029)
14. Carpet (S41228)
15. Tightening Knob (S31151)
16. Front Shroud (S41210GTR) Red
    (S41210GTB) Blue
21. Front Frame (S31218)
25. Controller (S31010GT
27. Rear Wheel Assembly (S31035)
29. Seat Bracket Assem. (S1039GT
30. Seat Post (S31053)
31. Seat Adjustment Pin
    (S350016906)
32. Arm Width Adjust. Knob (S31052)
33. Arm Assem. (S31040R) Right
    (S31040L) Left
37. Rear Frame (S31098GT)

SPECIFICATIONS

ITEM #	S45001GT, S45002GT
L X W	49" X 22.5"
SADMERC CODE GROUP	GROUP 2/K0806
SEAT DIMENSIONS	17"(D) X 17.5"(W)
SEAT TO FOOT DECK HEIGHT	17" - 20"
GROSS WEIGHT (WITH/WITHOUT BATTERY)	136/106 LBS
REAR WEIGHT	42 LBS
FRONT WEIGHT	38 LBS
SEAT WEIGHT	26 LBS
BATTERY WEIGHT TOTAL	31 LBS
TIRE SIZE (FRONT)	10" SOLID INSERTS
TIRE SIZE (REAR)	10" SOLID INSERTS
BATTERY (INCLUDED)	20 AMP X 2
CHARGER	3 AMP OFF BOARD
MAX. SPEED	5 MPH
MAX. WEIGHT LOAD	350 LBS
MINIMUM OBSTACLE CLIMBING ABILITY	2"
CRUISING RANGE	15 MILES (20 MILES W/OPTIONAL U1)
SAFE CLIMBING ANGLE (SUGGESTED)	8°
TURNING RADIUS	64"
GROUND CLEARANCE	3"
CONTROLLER	DRIVE 70/AMP CTE
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

ODYSSEY

LARGE MIRRORS COME STANDARD

COMES STANDARD WITH ANTI-TIPPERS

POV MISC.
SADMERC CODE:
KO899

Odyssey,
4 Wheel Full Size Scooter

S45200	Red, 1/cs
S45300	Blue, 1/cs
S45200-POM	Red, (Comes with "Peace of Mind Service"), 1/cs
S45300-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs

Royal Blue

Red

FEATURES:

- Speed settings for indoor and outdoor use.
- Combines attractive styling with rugged construction.
- Heavy duty drive train.
- Height and depth adjustable contoured swivel captain seat.
- Flip back deluxe arms are height, width & angle adjustable.
- Assembles and disassembles into 5 parts.
- Full front suspension.
- Comes standard with anti tippers.
- Top speed 6 mph and a cruising range of 20 miles.
- Heavy Duty Bumpers.
- Comes with batteries.
- Large carry basket.
- Front and rear lights with turn signals.
- Flat free black tires.
- Stylish front and rear bumpers.
- Easy to adjust tiller.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- 385 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

ODYSSEY
PARTS DIAGRAM



SPECIFICATIONS

ITEM #	S45200, S45300
L X W	51" X 26.4"
SADMERC CODE GROUP	K0899 (MISCELLANEOUS)
SEAT DIMENSIONS	17"(D) X 17.6"(W)
SEAT TO FOOT DECK HEIGHT	17" - 20"
GROSS WEIGHT (WITH/WITHOUT BATTERY)	201/151 LBS
REAR WEIGHT	64 LBS
FRONT WEIGHT	61 LBS
SEAT WEIGHT	26 LBS
BATTERY WEIGHT TOTAL	50 LBS
TIRE SIZE (FRONT)	13" SOLID
TIRE SIZE (REAR)	13" SOLID
BATTERY (INCLUDED)	U1 X 2
CHARGER	3 AMP OFF BOARD
MAX. SPEED	6 MPH
MAX. WEIGHT LOAD	385 LBS
CRUISING RANGE	20 MILES
SAFE CLIMBING ANGLE	10°
TURNING RADIUS	70"
CONTROLLER DYNAMIC	75 AMP MULTI MODE
GROUND CLEARANCE	4.5"
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

GLADIATOR GT

LARGE MIRRORS COME STANDARD

COMES STANDARD WITH ANTI-TIPPERS

SADMERC CODE:
KO807
W/20" SEAT
KO808
W/22" SEAT

Red

Gladiator, GT
Heavy Duty Scooter

GT807	20" Seat, Red, 400 lb. Weight Capacity, (Has replaced the Gladiator model # G807), 1/cs
GT808	22" Seat, Red, 500 lb. Weight Capacity, (Has replaced the Gladiator model # G808), 1/cs
GT807-POM	20" Seat, Red, 400 lb. Weight Capacity, (Comes with "Peace of Mind Service"), 1/cs
GT808-POM	22" Seat, Red, 500 lb. Weight Capacity, (Comes with "Peace of Mind Service"), 1/cs

FEATURES:

- **400 lb. weight capacity for the 20" seat (GT807)**
  500 lb. weight capacity for the 22" seat (GT808)
- Large comfortable captain seat with adjustable depth, height and width arms.
- Both seat styles come standard swivel, reclining, and adjustable height with sliding depth.
- Easy to adjust tiller.
- Features "Free Wheel" mode where scooter can be moved manually.
- Comes standard with anti-tippers, head and rear lights and shock absorbers.
- Top speed 5.6 mph with indoor and outdoor speed mode.
- Cruising range 15-20 miles (GT807) 14-18 miles (GT808).
- Fully adjustable suspension.
- 11 inch pneumatic tires.
- Comes with batteries.
- Front basket and mirrors standard.
- 4 amp off board charger for quicker charge.
- Full lighting pkg w/active brake lights.
- Electromagnetic brake.
- HD 110 amp electronics and HD motor.
- Has been tested and surpassed the ANSI RESNA testing requirement.

BARIATRIC 400 LB WEIGHT CAPACITY

BARIATRIC 500 LB WEIGHT CAPACITY

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

GLADIATOR GT
PARTS DIAGRAM



8. Key (GT8072W06)
   Key Switch
   (GT8072W07)
9. Pressure Cylinder
   (GT8072W08)
   (a) Upper Tiller
   (GT8072W09)
   (b) Lower Tiller
   (GT8072W10)
10. Rubber Glove
    (GT8072W11)
27. Seat Post
    (GT8072W28)
28. Seat Plate
    (GT8072W29)

SPECIFICATIONS

ITEM #	GT807 (20" SEAT)	GT808 (22" SEAT)
L X W X H	47.2" X 24" X 44.5"	47.2" X 24" X 44.5"
SADMERC CODE GROUP	K0807	K0808
FRONT WHEELS	5" X 11"	5" X 11"
REAR WHEELS	5" X 11"	5" X 11"
WEIGHT WITH BATTERIES	220 LBS.	234 LBS.
SPEED	5.6 MPH	5.6 MPH
BATTERY (INCLUDED)	U1 OR 50 AMP	U1 OR 50 AMP
GROUND CLEARANCE	3.75"	3.75"
WEIGHT CAPACITY SEAT	400 LBS.	500 LBS.
SEAT/BACK HEIGHT	20" SEAT / 17" BACK	22" SEAT / 20" BACK
TRAVEL RANGE	15-20 MILES	14-18 MILES
SAFE CLIMBING ANGLE	8° +/- 1°	8° +/- 1°
SEAT TO FOOT DECK HEIGHT	17" - 20"	17" - 20"
TURNING RADIUS	51.4"	51.4"
CHARGER	4 AMP OFF BOARD	4 AMP OFF BOARD
BRAKE ELECTRIC/ HAND BRAKE	STANDARD	STANDARD
CONTROLLER	DYNAMIC CONTROLLER 110A	DYNAMIC CONTROLLER 110A
WARRANTY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

GEO

COMES WITH FLIP BACK REMOVABLE ARMS

ASSEMBLES AND DISASSEMBLES INTO 4 EASY PARTS

BASE DISASSEMBLES INTO 2 LIGHTWEIGHT COMPONENTS

POV GROUP 1
SADMERC CODE:
K0814

Geo (Portable)

4 Wheel Powered Wheelchair Base

S35001697*	Red, 1/cs
S35002697*	Blue, 1/cs
S35001697*-POM	Red, (Comes with "Peace of Mind Service"), 1/cs
S35002697*-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs

Royal Blue

Red

FEATURES:

- For indoor and outdoor use.
- Adjustable height and angle footplate.
- Assembles and disassembles into 4 parts.
- Features "free wheel" mode where the power chair can be moved manually.
- Comes standard with anti tippers.
- Comfortable seat is height adjustable, with flip back, adjustable width arms.
- Automatic power shut-down after an undisturbed period of 30 minutes.
- Comes with easy to remove batteries.
- Top speed 4 mph and a cruising range of 8-10 miles.
- Stackable battery feature option doubles the range, 16-20 miles when stacked.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- VR2 PG controller.
- No wiring connectors for easier transport.
- Built in seat belt.
- Adjustable depth controller arm.
- 250 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

GEO
PARTS DIAGRAM

7. Fork Stem Bearing (S350169708)
8. Fork Stem Cap (S350169709)
9. Pivot Fork Frame (S350169710)
11. Front Shroud (S350169712)
12. Rear Shroud- Red (S350169700) Blue (S350269700)
21. Controller (S350169721)
26a. Controller Screws (S350169726)


T Handle Frame Lock (S350169716)
Seat Pin (S350169717)
Motor/Gear Assem. Rt. (S350169719) Lt. (S350169728)
Rear Frame (S350169720)
Tension Knob (S350169715)
Front Contact (S31056) Rear Contact (S31057)
Rear Frame
Front Frame (S350169714)
Front Frame
Rear Wheel (S350169718)
Circuit Breaker (350169722)
Joystick Controller (S350169701)
Wire Harness (S350169723)
Anti-tip Wheel (S350169724)
Seat Post (S350169713)
Controller Arm (S350169725)
Pivot Fork Frame (S350169710)
Seat Assem. Beige (S350169727) Grey (S350169733)
Arm Assem. Right (S350169731R) a. Arm Assem. Left (S350169731L)
Rear Wheel Bolt (S350169732)
Arm Adj. Knob (S350169730)
Seat Plate (S350169729)
a. Right Fork (S350169711R) b. Left Fork (S350169711L)
Battery (S3BATT-1)
a. Battery Pack (S350169707) b. Battery Case (S350169706)
Charger (S31055)
Foot Rest Assembly (S350169702)
a. Right Fork (S350169711R) b. Left Fork (S350169711L)
Caster Lock Nut (S350169704)
Front Caster (S350169703)
Front Dust Cover (S350169705)

SPECIFICATIONS

ITEM #	S35001697 (RED), S35002697 (BLUE)
L X W	37.8" X 21"
SADMERC CODE GROUP	GROUP 1/K0814
SEAT TO FLOOR HEIGHT	20" - 22"
TOTAL WEIGHT WITH BATTERY	132 LBS
BATTERY WEIGHT	20 LBS
BACK WEIGHT	31 LBS
FRONT WEIGHT	24 LBS
SEAT WEIGHT	27 LBS
DRIVE WHEEL	8" SOLID TIRE
CASTER WHEEL	6" SOLID TIRE
ANTI-TIP WHEEL	2"
BATTERY (INCLUDED)	12AH/12V X 2
CHARGER	2A OFF-BOARD
TURNING RADIUS	19.7"
GROUND CLEARANCE	2.1"
MAX. SPEED	4.0 MPH
CRUISING RANGE	10 MILES (UP TO 20 MILES WHEN BATTERIES ARE STACKED)
MINIMUM OBSTACLE CLIMBING ABILITY	25 MM
WEIGHT CAPACITY	250 LBS.
MAXIMUM CLIMBING ANGLE	6°
CONTROLLER	60 AMP, PG VR-2
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

SUNFIRE PLUS GT POWER

SWIVEL AND RECLINING CAPTAIN'S SEAT

OPTIONAL SWING MOUNT JOYSTICK

Blue

Red

Gold

Sunfire Plus GT Power
Rear Wheel Drive Wheelchair Base

SPGT-3C-BL	Blue, 1/cs
SPGT-3C-R	Red, 1/cs
SPGT-3C-G	Gold, 1/cs
SPGT-3C-BL-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs
SPGT-3C-R-POM	Red, (Comes with "Peace of Mind Service"), 1/cs
SPGT-3C-G-POM	Gold, (Comes with "Peace of Mind Service"), 1/cs

POV GROUP 2
SADMERC CODE:
K0823

FEATURES:

- Mid Sized rear wheel drive.
- 18" x 16" seat will comfortably accommodate up to a 20" x 18" requirement.
- Programmable VR2 controller with adjustable joystick mount.
- Swivel and reclining captains seat with adjustable head rest. Adjustable up to 50° reclining back angle.
- Padded armrests are flip back, height, angle, width and depth adjustable.
- Seat post mounted seat that swivels 90°.
- Standard seat belt.
- U1 34 AMP batteries
- 4 AMP, fan cooled, on board charger.
- Available in three attractive colors. (blue, red and gold)
- Adjustable height, angle and depth footplate.
- Flat free tires provide security and a comfortable ride.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- Comes with batteries. (U1 34 AMP batteries)
- Bracket for front riggings sold separately (Item # SFELR, STDELR-TF, STDSF-TF)
- 300 lb. Weight Capacity.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

SUNFIRE PLUS GT
PARTS DIAGRAM



SPECIFICATIONS

MODEL	SPGT-3C-BL (BLUE), SPGT-3C-R (RED), SPGT-3C-G (GOLD)
SADMERC CODE GROUP	GROUP 2/K0823
DRIVER WHEELS	10" SOLID
CASTER WHEELS	8" SOLID DYNAMIC CROSS BEAM
ANTI-TIP WHEELS	2" SOLID, REAR MOUNTED
SEAT TO FLOOR HEIGHT	21" - 23"
MAXIMUM SPEED	5.5 MPH
MINIMUM OBSTACLE CLIMBING ABILITY	40 MM
BRAKES	ELECTRONIC REGENERATIVE, "INTELLIGENT BRAKING"
GROUND CLEARANCE	2.5"
TURNING RADIUS	33"
OVERALL SIZE	L 39" W 24"
DRIVE TRAIN	2-MOTOR, RWD
BATTERY (INCLUDED)	12V, 35AH, U-1 X 2
RANGE	UP TO 20 MILES
BATTERY CHARGER	ON-BOARD 4 AMP
CONTROLLER	PG VR2 CONTROLLER
WEIGHT CAPACITY	300 LBS.
WEIGHTS	BASE 82 LBS. SEAT 35 LBS. BATTERIES 24.2 LBS. EACH (TOTAL 141 LBS.)
SEAT DIMENSIONS/BACK	SEAT: 18" X 16" BACK HEIGHT: 18"
WARRANTY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

SUNFIRE GENERAL

ADJUSTABLE HEIGHT HEADREST, NO-GAP PILLOW HEADREST

COMES WITH STANDARD ANTI-TIPPERS

Blue

Red

Gold

Sunfire General H.D. Bariatric, Rear Wheel Drive Power Base

SP-3C-BL701	Captain's Seat, Blue, 1/cs
SP-3C-G701	Captain's Seat, Gold, 1/cs
SP-3C-R701	Captain's Seat, Red, 1/cs
SP-3C-BL701-POM	Captain's Seat, Blue, (Comes with "Peace of Mind Service"), 1/cs
SP-3C-G701-POM	Captain's Seat, Gold, (Comes with "Peace of Mind Service"), 1/cs
SP-3C-R701-POM	Captain's Seat, Red, (Comes with "Peace of Mind Service"), 1/cs

FEATURES:

- **400 lb weight capacity and 500 lbs with 22" seat option.**
- PG VR2 controller with programmable features.
- Adjustable 45° infinite position reclining back.
- Adjustable height, width and angled arms.
- Adjustable height headrest, no-gap pillow headrest on the 400 lb model.
- Upgraded swivel captain's seat.
- Comes with adjustable height and angled footplate.
- 13 inch rear flat free non marking tires.
- 10 inch flat free front caster.
- Full adjustable tension suspension.
- Dual 5" anti-tippers.
- On board charger.
- 22" seat optional and recommended for larger users up to 500 lbs.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- Comes with batteries.
- Bracket for front riggings sold separately (Item # SFELR, STDSF-TF, STDELR-TF)
- Optional riggings available.

ALSO AVAILABLE IN A 22" WIDTH SEAT!

SP-3C-BL701-22	Blue, 1/cs
SP-3C-G701-22	Gold, 1/cs
SP-3C-R701-22	Red, 1/cs
SP-3C-BL701-22-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs
SP-3C-G701-22-POM	Gold, (Comes with "Peace of Mind Service"), 1/cs
SP-3C-R701-22-POM	Red, (Comes with "Peace of Mind Service", 1/cs

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

SUNFIRE GENERAL
PARTS DIAGRAM



21. Wheel Assembly (SP3CG2W09)
22. Axle Bolt (SP3CG2W10)
23. Fork Assembly (SP3CG2W08)
24. Bearing Assembly (SP3CG2W00)
25. Pivot fork Frame (SP3CG2W18)
26. Extension Plug (SP3CG2W23)

SPECIFICATIONS

ITEM #	SP-3C-701	SP-3C-701-22
POWER CHAIR SIZE	43" (L) X 26" (W) X 46" (H)	49.8" (L) X 25.1" (W) X 43.7" (H)
SADMERC CODE GROUP	K0825	K0852
WEIGHT, W/ BATTERY	219.5 LBS.	217.8 LBS
WEIGHT, W/O BATTERY	154.4 LBS.	170 LBS.
SEAT TO FLOOR HEIGHT	23" - 25"	23" - 25"
SEAT DIMENSIONS	19.5" (W) X 18.5" (D)	22" (W) X 21" (D)
BATTERY (INCLUDED)	12V 36AH X 2 OR 50 AMP	12V/36AH X 2 OR 50 AMP
MOTOR	450W 2	450W X 2 HD
CHARGER	DC24V 3A ON-BOARD	3A ON-BOARD
CASTER WHEELS	9" X 2 SOLID TIRE	9" X 2 SOLID TIRE
DRIVE WHEELS	13" X 5.5" FLAT FREE	13" X 5.5" FLAT FREE
DRIVE SYSTEM	REAR WHEEL DIRECT DRIVE	REAR WHEEL DIRECT DRIVE
BRAKE SYSTEM	ELECTROMAGNETIC BRAKES	ELECTROMAGNETIC BRAKES
TOP SPEED	5 MPH	5 MPH
CLIMBING ANGLE	8°	8°
CRUISING RANGE	14-18 MILES / 18-22 MILES (50 AMP)	12-15 MILES / 18-22 MILES (50 AMP)
TURNING RADIUS	42"	42"
ARMRESTS	ADJUSTABLE WIDTH, HEIGHT AND ANGLE	ADJUSTABLE WIDTH, HEIGHT AND ANGLE
FOOTPLATE	HEIGHT ADJUSTABLE ANGLE AND DEPTH	HEIGHT ADJUSTABLE ANGLE AND DEPTH
FOOTREST OR ELR'S	OPTIONAL	OPTIONAL
MAXIMUM WEIGHT CAPACITY	400 LBS	500 LBS
CONTROLLER	PG VR2 70A	PG VR2 70A
WARRANTY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

IMAGE GT

EASY TO ACCESS ELECTRONICS & BATTERY!

EASY TO REACH CLUTCH LEVERS

BUILT IN AMP METER

Image GT Mid Wheel Drive

2800GTBL-RCL	Blue, (Has replaced 2800BL-RCL, and 2900BL701), 1/cs
2800GTBU-RCL	Burgundy, (Has replaced 2800BU-RCL and 2900R701), 1/cs
2800GTSI-RCL	Silver, (Has replaced 2800SI-RCL and 2900G701), 1/cs
2800GTBL-RCL-POM	Blue, (Comes with "Peace of Mind Service"), 1/cs
2800GTBU-RCL-POM	Burgundy, (Comes with "Peace of Mind Service"), 1/cs
2800GTSI-RCL-POM	Silver, (Comes with "Peace of Mind Service"), 1/cs

FEATURES:

- Mid wheel drive allows for tighter turning radius.
- PG Controller with diagnostic fault codes.
- On board charger.
- Joystick can be mounted on either side.
- Front swivel anti-tippers have true independent adjustable suspension. Helps prevent the drive wheels from losing contact with the ground.
- Drive mid wheels have flat free inserts including coil spring tension suspension.
- Uniquely designed Dynamic Drive suspension for greater climbing ability and comfort when traveling forward and in reverse.
- Front and Rear semi-pneumatic swivel wheels.
- Foot plate is angle, height and depth adjustable.
- Elevating legrest or footrest kit available.
- Deluxe height adjustable swivel captain's seat.
- Positioning belt standard.
- Standard auto flip back footplate for safe exit from chair.
- Arms are width, height and angle adjustable.
- Standard headrest is height adjustable.
- Seat reclines for comfort and folds down for portability.
- Exceptional climbing ability.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- Built in Amp meter.
- Batteries (Item #U1)
- 300 lb. Weight Capacity.

PWC GROUP 2
SADMERC CODE: K0823

Blue

Red



Silver

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

IMAGE GT
PARTS DIAGRAM



4b. Controller (S350169721)
7. Adjustment Knob (GTI6046)
8. Rear Fork Cover (GTI6048)
16. Main Frame (GTI6036)
18. Battery U1-1
19. Fork Shroud Right (GTI6048R)
Fork Shroud Left (GTI6048L)
22. Fork Stem Cap (GTI6044)
24. Seat Post (GTI6006)
25. Seat Plate (GTI6007)

SPECIFICATIONS

ITEM #	2800GTBL-RCL, 2800GTBU-RCL, 2800GTSI-RCL
L X W X H	39" X 24.8' X 41.5"
SADMERC CODE GROUP	K0823
FRONT WHEELS	SEMI PNEUMATIC 6" X 2"
MIDDLE WHEELS	SEMI PNEUMATIC 10.5" X 3.3"
REAR WHEELS	SEMI PNEUMATIC 6" X 2"
WEIGHT WITHOUT BATTERIES	160 LBS.
SPEED	UP TO 5.5 MPH
GROUND CLEARANCE	3"
WEIGHT CAPACITY	300 LBS.
SEAT TO FLOOR HEIGHT	19.5" - 21.5"
SEAT	19" X 18" SEAT WITH ADJUSTMENT HEADREST AND SEAT BELT
BATTERY (INCLUDED)	U1
TRAVEL RANGE	15-20 MILES
MINIMUM OBSTACLE CLIMBING ABILITY	1 "
SUSPENSION	DYNAMIC DRIVE FRONT TO REAR AND A CENTRAL DUAL COIL SUSPENSION
MOTOR SIZE	2-MOTOR MID WHEEL DRIVE, 450 W/5500 RPM
SAFE CLIMBING ANGLE	8° +/- 1°
TURNING RADIUS	22.4"
CHARGER	3 AMP ON BOARD
BRAKE	ELECTRONIC
CONTROLLER	PG VR2 CONTROLLER 50A/60A
WARRANTY	LIFETIME ON FRAME ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

SUNFIRE GLADIATOR, MID-WHEEL DRIVE
VERY HEAVY DUTY CAPTAIN SEAT

PWC GROUP 3 VHD SADMERC CODE: KO853

BARIATRIC 500 LB WEIGHT CAPACITY

Red

SWIVEL AND RECLINING CAPTAIN'S SEAT

ADJUSTABLE ARMREST FOR EASY ENTRY AND EXIT

Sunfire Gladiator, Very HD
with Captain Seat/Solid Pan Rehab Seat/ Power Tilt Rehab Seating

SG-3CRD-853	Captain Seat, 1/cs
SG-3CRD-852	Solid Pan Rehab Seat, 1/cs
SG-3CRD-854	Power Tilt Rehab Seating, 1/cs
SG-3CRD-853-POM	Captain Seat, (Comes with "Peace of Mind Service"), 1/cs
SG-3CRD-852-POM	Solid Pan Rehab Seat, (Comes with "Peace of Mind Service"), 1/cs
SG-3CRD-854-POM	Power Tilt Rehab Seating, (Comes with "Peace of Mind Service"), 1/cs

FEATURES:

- **500 lb Weight Capacity.**
- Mid-wheel technology for easy maneuverability.
- PG VR2 controller, powerful 90 amp with programmable features.
- Adjustable 45° infinite position tilt seating. (854 Series)
- Adjustable height, width and angled arms.
- Adjustable height, pillow headrest. (853 Series)
- Large comfortable captain seat with adjustable 45° infinite position reclining back.
- Comes with dual adjustable height and angled footplate.
- 4 flat free tires and 2 casters.
- 14 " rear non-marking grey tires.
- Full adjustable tension suspension.
- Dual 5" anti-tippers and rear swivel casters.
- 5 Amp charger.
- Elevating legrest option available.
- Comes with 50 AMP sealed batteries. (item # SG3C853322)
- Has been tested and surpassed the ANSI RESNA testing requirement.

PWC GROUP 3 VHD SADMERC CODE: KO852

ALSO AVAILABLE IN A SOLID PAN TILT REHAB SEAT!

Sunfire Gladiator, Very HD with Sling Seat
Item # SG-3CRD-852, 1/cs
Sunfire Gladiator, Very HD with Sling Seat
Item # SG-3CRD-852-POM,
(Comes with "Peace of Mind Service"), 1/cs

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

SUNFIRE GLADIATOR
PARTS DIAGRAM



7. Adjustment Bolt (SG3C853104)
14. Front Seat Post (SG3C853108)
15. Tension Knob (SG3C853109)
20. Rear Fork Stem Bearing (SG3C853203)
21. Rear Bearing Cover (SG3C853204)
26. Battery Cover (SG3C853209)
27. Rear Suspension Assem. (SG3C853210)
28. Rear Frame Arm (SG3C853211)
29. Rear Frame Arm Bolt (SG3C853212)
30. Frame (SG3C853300)
32. Front Caster Bolt (SG3C85302)
34. Batteries (SG3C853322

SPECIFICATIONS

NOTE: For additional schematic configurations, go to www.drivemedical.com.

ITEM #	SG-3CRD-853 (CAPTAIN SEAT)	SG-3CRD-852 (PAN SEAT)	SG-3CRD-854 (POWER TILT SEAT)
SADMERC CODE GROUP	K0853	K0852	K0853
POWER CHAIR SIZE	45" (L) X 26" (W) X 46" (H)	45" (L) X 26" (W) X 46" (H)	45" (L) X 26" (W) X 46" (H)
WEIGHT, W/ BATTERY	250 LBS.	250 LBS	285 LBS.
WEIGHT, W/O BATTERY	190 LBS.	190 LBS	220 LBS.
SEAT TO FLOOR HEIGHT	22" - 24"	22" - 24"	22" - 24"
SEAT DIMENSIONS	24" (W) X 22" (D)	18"- 22" (W) X ADJUSTABLE DEPTH 24"	18"- 22" (W) X ADJUSTABLE DEPTH 24"
BATTERY (INCLUDED)	12V 50AH X 2	12V 50AH X 2	12V 50AH X 2
MOTOR	500W X 2	500W X 2	500W X 2
CHARGER	DC24 5A ON BOARD	DC24 5A ON BOARD	DC24 5A ON BOARD
CASTER WHEELS	9.5" X 3" PNEUMATIC	9.5" X 3" PNEUMATIC	9.5" X 3" PNEUMATIC
DRIVE WHEELS	14" X 3" PNEUMATIC	14" X 3" PNEUMATIC	14" X 3" PNEUMATIC
DRIVE SYSTEM	MID WHEEL DIRECT DRIVE	MID WHEEL DIRECT DRIVE	MID WHEEL DIRECT DRIVE
BRAKE SYSTEM	ELECTROMAGNETIC BRAKES	ELECTROMAGNETIC BRAKES	ELECTROMAGNETIC BRAKES
TOP SPEED	7.5 MPH	7.5 MPH	7.5 MPH
CLIMBING ANGLE	8°- 12°	8°- 12°	8°- 12°
CRUISING RANGE	22.4 MILES	22.4 MILES	22.4 MILES
TURNING RADIUS	23.8"	23.8"	23.8"
ARMRESTS	ADJUSTABLE WIDTH, ANGLE, HEIGHT	ADJUSTABLE WIDTH, ANGLE, HEIGHT	ADJUSTABLE WIDTH, ANGLE, HEIGHT
FOOTPLATE	ADJUSTABLE HEIGHT, ANGLE	ADJUSTABLE HEIGHT, ANGLE	ADJUSTABLE HEIGHT, ANGLE
MAXIMUM WEIGHT CAPACITY	500 LBS	500 LBS	500 LBS
CONTROLLER	90 AMP HIGH OUTPUT PG	90 AMP HIGH OUTPUT PG	90 AMP HIGH OUTPUT PG
WARRANTY ON ELECTRONIC CONTROLLER	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY	LIFETIME ON FRAME, ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS SIX MONTHS ON BATTERY

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM

CIRRUS PLUS EC

COMES STANDARD WITH SEAT BELT AND SEAT CUSHION

BACK POCKET FOR EASY AND CONVENIENT STORAGE

PWC GROUP 2
SADMERC CODE:
KO822

Cirrus Plus EC, Folding Power Chair

CPN16FBA	16" Wheelchair, with Flip Back Arms, 1/cs
CPN18FBA	18" Wheelchair, with Flip Back Arms, 1/cs
CPN20FBA	20" Wheelchair with Flip Back Arms, 1/cs
CPN16FBA-POM	16" Wheelchair, with Flip Back Arms, (Comes with "Peace of Mind Service"), 1/cs
CPN18FBA-POM	18" Wheelchair, with Flip Back Arms, (Comes with "Peace of Mind Service"), 1/cs
CPN20FBA-POM	20" Wheelchair with Flip Back Arms, (Comes with "Peace of Mind Service"), 1/cs

FEATURES:

- Foldable, lightweight frame makes portability and transportation easy and convenient.
- Integrated, programmable PG controller.
- Adjustable height flip back and detachable arms.
- Attractive carbon steel frame with silver vein finish.
- Flat free, 12.5" black drive wheels.
- Front 8" flat free black casters.
- Anti tippers, standard.
- Adjustable tension back upholstery.
- Comes standard with seat belt, seat cushion with pouch, swing-away footrest with calf straps and heel loops.
- Elevating legrests optional (item # LELR-TF).
- Folding battery tray.
- Padded back upholstery and cushioned seat.
- 22" model has double cross brace frame.
- Adjustable length joystick mount.
- Wheel locks.
- Comes with batteries.
- Has been tested and surpassed the ANSI RESNA testing requirement.
- Attractive sling style seating.
- 300 lb. Weight Capacity.
- 400 lb. Weight Capacity on 22" model.

PWC GROUP 2 HD
SADMERC CODE:
KO824

Cirrus Plus HD Folding Power Chair

CPN22FBA 22" Wheelchair, with Adj. Height/Width Removable Arms, 1/cs

CPN22FBA-POM 22" Wheelchair, with Adj. Height/Width Removable Arms, (Comes with "Peace of Mind Service"), 1/cs

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

CIRRUS PLUS EC

PARTS DIAGRAM



SPECIFICATIONS

MODEL	CPN16FBA	CPN18FBA	CPN20FBA	CPN22FBA HD
SADMERC CODE	K0822	K0822	K0822	K0824
DRIVER WHEELS	12.5" BLACK PU TIRES	12.5" BLACK PU TIRES	12.5" BLACK PU TIRES	12.5" SOLID TIRES
CASTER WHEELS	8" BLACK PU TIRES	8" BLACK PU TIRES	8" BLACK PU TIRES	8" SOLID ARTICULATING
ANTI-TIP WHEELS	1.5" SOLID	1.5" SOLID	1.5" SOLID	1.5" SOLID
	REAR MOUNTED	REAR MOUNTED	REAR MOUNTED	REAR MOUNTED
MAXIMUM SPEED	5.4 KM/H	5.4 KM/H	5.4 KM/H	5.0 MPH
BRAKES	ELECTRO MAGNETIC	ELECTRO MAGNETIC	ELECTRO MAGNETIC	ELECTRONIC MAGNETIC
BRAKING	"INTELLIGENT BRAKING"	"INTELLIGENT BRAKING"	"INTELLIGENT BRAKING"	"INTELLIGENT BRAKING"
GROUND CLEARANCE	4"	4"	4"	4"
TURNING RADIUS	30"	32"	33"	35"
OVERALL SIZE WIDTH	42.5" WIDTH	42.5" WIDTH	42.5" WIDTH	42.5" WIDTH
OVERALL SIZE LENGTH	24" LENGTH	26" LENGTH	28" LENGTH	29" LENGTH
DRIVE TRAIN	2-MOTOR, RWD	2-MOTOR, RWD	2-MOTOR, RWD	2-MOTOR, RWD
BATTERY (INCLUDED)	12V 36A*2	12V 36A*2	12V 36A*2	12V 36A*2
RANGE	15 MILE	15 MILE	15 MILE	UP TO 10 MILES
BATTERY CHARGER	OFF-BOARD, 4 AMP	OFF-BOARD, 4 AMP	OFF-BOARD, 4 AMP	OFF-BOARD, 4 AMP
MOTOR CONTROLLER	PG (60A)	PG (60A)	PG (60A)	PG (60A)
MOTOR	24VDC, 320W, 4600RPM	24VDC, 320W, 4600RPM	24VDC, 320W, 4600RPM	24 VDC, 420W, 4200RPM
WEIGHT CAPACITY	300 LBS.	300 LBS.	300 LBS.	400 LBS.
WEIGHTS BASE	90 LBS NOBATT	90 LBS NOBATT	93 LBS NOBATT	105 LBS. NOBATT
BATTERY WEIGHT	56 LBS BATT	56 LBS BASE	56 LBS BASE	56 LBS BASE
SEAT WIDTH	16"	18"	20"	22"
SEAT DEPTH	16"	16"	16"	18"
SEAT HEIGHT	17"	17"	17"	18"
BACK HEIGHT ADJUSTABLE	SECTIONAL, 17" - 21"	SECTIONAL, 17" - 21"	SECTIONAL, 17" - 21"	SECTIONAL, 18" - 22"
ARM STYLE	ADJUSTABLE HEIGHT	ADJUSTABLE HEIGHT	ADJUSTABLE HEIGHT	ADJUSTABLE HEIGHT
FOOT PLATE DIMENSION	7.8" X 6"	7.8" X 6"	7.8" X 6"	7.8" X 6"
FOOTRESTS	SWING-AWAY DETACHABLE	SWING-AWAY DETACHABLE	SWING-AWAY DETACHABLE	SWING-AWAY DETACHABLE
ELEVATING LEG RESTS	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL
WARRANTY		LIFETIME ON FRAME		
		ONE YEAR ON ELECTRONIC CONTROLLER AND DRIVE TRAIN COMPONENTS		
		SIX MONTHS ON BATTERY		

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

drive powered mobility
To order call toll free: 877.224.0946
drive WWW.DRIVEMEDICAL.COM

S5010SM

Scooter Arm Tote

S5010 Large, 3/cs
S5010SM Small, 3/cs

COMPARE TO: drive EZ Accessories®
S5010 EZO123/4 (L/S)

FEATURES:

- Easily attaches to scooter.
- Comes with one zippered pocket, one mesh. pocket with velcro closure.
- Size: Large 10.5" x 14" x 2", Small 8.5" x 9" x 1".
- Made of durable, easy to clean nylon.
- Fits most scooters.

S5008

Scooter Basket Carry Tote

S5008 3/cs

COMPARE TO: drive EZ Accessories®
S5008 EZO126)

FEATURES:

- Easily fits into scooter basket.
- Size: 13" x 10" x 11".
- Draw string closure.
- Made of durable, easy to clean nylon.
- Fits most scooter baskets.

S5000

Deluxe Scooter Carry Bag

S5000 3/cs

COMPARE TO: drive EZ Accessories®
S5000 EZO122

FEATURES:

- Easily attaches to scooter.
- Comes with one large zippered pocket.
- Size: 15" x 15" x 5".
- Made of durable, easy to clean nylon.
- Warranty: 1 year.

S5005

Universal Oxygen Cylinder Carry Bag for Scooter

S5005 3/cs

COMPARE TO: drive EZ Accessories®
S5005 EZO142

FEATURES:

- Adjustable for use with "D" and "E" cylinders.
- Top and bottom clasps easily attach for secure fit to scooter.
- 1 carry handle.
- For use with most manufacturers scooters.
- Made of durable, easy-to-clean nylon.
- Size: 26.5" x 7.5" x 4.75"
- Warranty: 90 days.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

SF8010

Oxygen Cylinder Caddy

SF8010 **1/ea**

FEATURES:

- Easy to install.
- Can accommodate "D" and "E" size cylinders.
- For use with all Drive electric scooters and Sunfire Plus power wheelchair base manufacturers scooters.
- Warranty: 1 year

SF8020

Scooter Basket

SF8020 **1/bx**

FEATURES:

- Easy to install.
- 15.5" x 16.9" x 24.8"
- For use with all Drive and most manufacturers scooters.
- Warranty: 1 year.

SF8030

Cane Crutch Caddy

SF8030 **1/ea**

FEATURES:

- Easy to install.
- For use with all Drive electric scooters and Sunfire Plus power wheelchair base.
- Warranty: 1 year

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued.

drive powered mobility
To order call toll free: 877.224.0946
WWW.DRIVEMEDICAL.COM

SF8050

Sun Shade

SF8050 **1/ea**

FEATURES:

- Easy to install.
- For use with all Drive electric scooters and Sunfire Plus power wheelchair base.
- Size: 38.5" x 24" x 64.5"
- Warranty: 90 days

SFELR

Swing Away Elevating Legrest Kit for Rear Wheel Drive Power Bases

SFELR **1pr/bx**

FEATURES:

- For use with rear wheel drive power wheelchair base.
- Legrest sold separately.
- Warranty: Limited Lifetime

Swing Away Joystick

SF1009 **1pr/bx**

FEATURES:

- For use with rear wheel drive power wheelchair base.
- Warranty: Limited Lifetime

Scooter Accessory Kit

SF8075 **(For use with Phantom, Daytona 3 and Daytona 4 Scooters) 1 set/cs**
SF8076 **(For use with Odyssey Scooter) 1 set/cs**

FEATURES:

- Includes 1 ea. Walker Caddy, Oxygen Cylinder Caddy, Scooter Basket, Cane/Crutch Caddy, Sun Shade, Scooter Cover, Seat Slide, and "D" Bar.
- For use with Phantom Daytona 3 and Daytona 4 scooters.

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued or package change.

USE THE CHART BELOW TO IDENTIFY THE BATTERY FOR THE DRIVE POWER PRODUCT

POWER CHAIR	BATTERY TYPE	DRIVE ITEM #
IMAGE GT, MID-WHEEL DRIVE POWER BASE	U1 (36 Ah)	U1
DENALI MID-WHEEL DRIVE CAPTAIN SEAT	U1 (36 Ah) or GROUP 22 (57 Ah)	U1
CIRRUS PLUS EC POWER CHAIR	U1 (36 Ah)	U1
GLADIATOR GT HD	U1 (36 Ah) or 50 Ah	U1
GEO POWER BASE, CAPTAIN SEAT	12V 12 Ah	S3BATT
DAYTONA 3 GT	U1 (36 Ah) or 20 Ah	U1 OR S4BATT
DAYTONA 4 GT	U1 (36 Ah) or 20 Ah	U1 OR S4BATT
PHOENIX 3	12V 12 Ah	S3BATT
PHOENIX 4	12V 12 Ah	S3BATT
FALCON	12V 12Ah	S3BATT
ODYSSEY	U1 (36 Ah)	U1
SUNFIRE GLADIATOR	50 Ah	SG3C853322
SUNFIRE GENERAL	U1 (36 Ah) or 50 Ah	U1
SUNFIRE PLUS GT	U1 (36 Ah)	U1

*Important Notice: Item numbers that display an asterisk (*) reflect an item that will be discontinued.

powered mobility
To order call toll free: 877.224.0946
drive
WWW.DRIVEMEDICAL.COM